



**60<sub>er</sub> Kali<sup>®</sup>**

**gran. B**

**EC FERTILISER**

Muriate of Potash 60

60 % K<sub>2</sub>O, water-soluble potassium oxide (= 49.8 % K)

Version 4.4

printing date: 2015-08-28

**Chemical Analysis:**

	<b>typical</b>	<b>w</b>
• Potassium chloride (KCl)	95.4	%
• Others (NaCl, MgCl <sub>2</sub> , K <sub>2</sub> SO <sub>4</sub> , MgSO <sub>4</sub> , CaSO <sub>4</sub> , etc.)	4.4	%
• Moisture	0.2	%

**Granulometry:**

		<b>typical</b>	<b>w</b>
• Tyler Mesh + 5	> 4 mm	2	%
• Tyler Mesh - 9	< 2 mm	6	%
• Tyler Mesh - 32	< 0.5 mm	< 1	%
• SGN		280	

**Storage:**

• Bulk Density	ca. 1,070 kg/m <sup>3</sup>	abt. 67 lbs/ft <sup>3</sup>
• Bulk Density (packed)	ca. 1,120 kg/m <sup>3</sup>	abt. 70 lbs/ft <sup>3</sup>
• Angle of Repose	ca. 35 °	

The product is to be kept dry and covered with a plastic tarpaulin to protect from moisture. Where bulk product is stored, steel joists and columns should be protected from corrosion, as well as the floor and the walls should be furnished with a protective coating. Wooden walls and roof girders have proved to be particularly durable.

**Application:**

60er Kali<sup>®</sup> gran. B is specifically developed for mechanical spreading and bulk blending in countries using fertiliser with grain size distribution according to American standards. It is suitable for all chloride tolerant crops and applicable for all types of soils.

® = registered trademark of companies of K+S group

The data given above are based on our continuous quality monitoring system. They do not exempt the users from their obligation to make an incoming control of the delivered product. The data are for information purposes only and are not to be taken as a guarantee. It is the responsibility of the users to determine the product's suitability for its intended use.