JIAOCHENG SANXI CHEMICAL CO LTD

YIWANG INDUSTRIAL ZONE, JIAOCHENG, SHANXI, CHINA

TEL: 00863517075331 FAX: 00863517076602

MATERIAL SAFETY DATA SHEET

NOTE:

NO REPRESENTATION IS MADE AS TO THE ACCURACY OF THE INFORMATION AND RECOMMNENDATIONS HEREIN, SEE PAGE THREE FOR CONDITONS UNDER WHICH DATA FURNISHED.

PRODUCT NAME : POTASSIUM NITRATE

NAME AND ADDRESS OF SUPPLIERS : JIAOCHENG SANXI CHEMICAL CO., LTD.

PRODUCT INDENTIFICATION

SYNONYMS : POTASSIUM NITRATE TECHNICAL GRADE

: POTASSIUM NITRATE TV GLASS GRADE

: POTASSIUM NITRATE FINE GRADE

EPA REG. NO.

C.A.S. NO. : 7757-79-1

DOT PROPER SHIPPING NAME : POTASSIUM NITRATE

DOT HAZARD CLASS : III

DOT LABLE : OM

FREIGHT CLASSIFICATION : CLASS III

WARNING SHIPMENTS : NOTE

PRECAUTIONARY MESURES: : KEEPAWAY FROM REDUCING

AGENTS & ORGANIC SOLVENTS

EMERGENCY-FIRST AID PROCEDURES : WASH WITH WATER

OCCUPATIONAL CONTROL PROCEDURES : WASH WITH WATER

PROTECTIVE EQUIPMENT : NOT REQUIRED

EYE PROTECTION : NOT REQUIRED

JIAOCHENG SANXI CHEMICAL CO LTD

YIWANG INDUSTRIAL ZONE, JIAOCHENG, SHANXI, CHINA

TEL: 00863517075331 FAX: 00863517076602

SKIN PROTECTION : HAND GLOVES TO BE USED

WHILE USING IT

RESPIRATORY PROTECTION : NOT REQUIRED

VENTILATION : NOT NECESSARY

AIRBORNE EXPOSURE LIMITS : SAFE AT ALL LEVELS

PRODUCT : POTASSIUM NITRATE

FIRE PROTECTION INFORMATION

FLASH POINT : DOES NOT IGNITE

IGNTION TEMPERATURE : NOT APPLICABLE

FLAMMABLE LIMITS : NOT FLAMMABLE

EXTINGUISHING MEDIA : NOT APPLICABLE

SPECIAL FIRE FIGHTING PROCEDUTES: NOT APPLICABLE

PHYSIOLIGHICL EFFECTS SUMMARY : THE HUMAN BODY ABSORBES NITRATES

BOTH THOUGH SKIN ABSORPTION AND

DUST INHALATION AS WITH ALL

CHEMICALS IN GENERAL LARGER

QUANTITIES MAY CAUSE POISOING, AND

THE DUST MAY IRRITATE THE EYES.

PHYSICAL DATE

SPECIFIC GRAVITY@ 25°C : 2.109

MELTING POINT : 334°C

SOLUBILITY IN WATER : SOLUBLE

IN BENZENE : SULUBLE

IN ACETONE : SULUBLE

IN HEXANE : SULUBLE

PARTITION CO. EFFICIENT : NOT APPLICABLE

APPEARANCE : WHITE PRILL

JIAOCHENG SANXI CHEMICAL CO LTD

YIWANG INDUSTRIAL ZONE, JIAOCHENG, SHANXI, CHINA

TEL: 00863517075331 FAX: 00863517076602

THERMALLY STABLE : STABLE UP TO 400°C

MATERIALS TO AVOID : IT SHOULD BE STORED AWAY FROM

ORGANIC SOLVENTS, CARBON,

SULPHUR AND OTHER REDUCING

COMPUNDS

HAZARDOUS DECOMPOSTION

PRODUCTS : DOES NOT DECOMPOSE IN NORMAL

CONDITIONS UP TO 400°C

HAZARDOUS POLYMERZATION : DOES NOT POLYMERIZE

SPILL, LEAK & DISPOSL INFORMATION

WASTE DISPOSAL : MAY BE WASHED WITH WATER

SPILL OR LEAKAGE : MAY BE WASHED WITH WATER

CONTAINERS : MAY BE WASHED WITH WATER

NOTE:

ALTHOUGH THE INFORMATION AND RECOMMEDNDATIONS SET FORTH IN THIS SHEET ARE BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, COMPANY MAKES NO REPRESETATION AS TO THE COMPLETENESS OR ACCURANCY OF SUCH INFORMATION AND RECOMMENTDATIONS. COMPANY SHALL IN NO EVENT BE RESPONSIBLE FOR ANY DAMAGES OF WHATSOEVER NATURE DIRECTLY OR INDIRECTLY RESULTING FROM THE PUBLICATION OR USE OF OR RELIANCE UPON SUCH INFORMATION AND RECOMMENDATIONS.

NO WARRENT EITHER EXPRESS OF IMPLIED, OR MERCHANT-ABILITY OR FITNESS OR OF ANY OTHER NATURE WITH RESPECT TO THE PRODUCT OR TO THE INFORMATION AND RECOMMENDATIONS HERIN IS MADE HEREUNDER

FOR JIAOCHENG SANXI CHEMICALS CO.,LTD.

AUTHORISE SIGNATORY